



BUREAU VERITAS

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

# PASS

### SUBMITTER

Dorel Home Furnishings Europe  
Building 4, Imperial Place Maxwell Road, Borehamwood WD6 IJN, United Kingdom.



### STYLE NUMBER

1879013COMCLUK, 1879408COMCLUK, 1879872COMCLUK

### PRODUCT DESCRIPTION

WESTERLEIGH TV STAND FOR TVS UP TO 65"

### EXECUTIVE SUMMARY

The sample(s) **MEETS** all the tested requirement(s).

### REMARKS

As per client requested, only BS EN 14749:2016 Test and BS 4875-7:2006 Test were conducted.

### TECHNICAL QUESTIONS

Muhammad Akmalhakim  
(607) 510 2086  
akmalhakim.mohd-fauzi@bureauveritas.com

### SIGNATURES

BUREAU VERITAS CPS SDN BHD

### GENERAL INFORMATION

Noor Najwa Laili  
(607) 510 2086  
noor.najwa@bureauveritas.com

**MUHAMMAD AKMALHAKIM**  
**AUTHORIZED REPORT APPROVER –**  
**HARDLINES**



**BUREAU  
VERITAS**

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

<b>VENDOR NAME</b>	DOREL HOME FURNISHINGS EUROPE
<b>AGENT NAME</b>	/
<b>FACTORY NAME</b>	POH KEONG INDUSTRIES SDN. BHD.
<b>NUMBER OF CARTONS/SAMPLES</b>	1 SET
<b>ITEM NUMBER</b>	/
<b>MODEL NUMBER</b>	1879013COMCLUK, 1879408COMCLUK, 1879872COMCLUK
<b>PURCHASE ORDER NUMBER</b>	TBA
<b>COUNTRY OF ORIGIN</b>	MALAYSIA
<b>CLIENT REFERENCE NUMBER</b>	/
<b>UPC CODE</b>	/
<b>COLOR</b>	WHITE, GREY, BLACK
<b>ASSORTMENT NUMBER</b>	/
<b>SKU/SKN NUMBER</b>	/
<b>PRODUCT END USE</b>	/
<b>LOT NUMBER</b>	/
<b>COUNTRY OF DESTINATION</b>	UNITED KINGDOM
<b>BUYER NAME</b>	DOREL HOME FURNISHINGS EUROPE
<b>TEST REQUESTED</b>	<ul style="list-style-type: none"><li>- BS EN 14749:2016; EN 14749 DOMESTIC AND KITCHEN STORAGE UNITS AND WORKTOPS – SAFETY REQUIREMENTS AND TEST METHODS</li> <li>- BS 4875-7:2006 PART 7: DOMESTIC AND CONTRACT STORAGE FURNITURE – PERFORMANCE REQUIREMENT</li></ul>
<b>PROTOCOL STAR LEVEL</b>	/
<b>FAIL RETEST</b>	NO
<b>PREVIOUS REPORT NUMBER</b>	/
<b>RETEST SAMPLE NUMBER</b>	/
<b>REPORT EXPIRATION DATE</b>	January 05, 2023



BUREAU  
VERITAS

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

## TEST RESULTS FOR WESTERLEIGH TV STAND FOR TV S UP TO 65"

### PHYSICAL CHARACTERISTICS:

Overall Dimension (mm)			
Depth:	500	Total Weight (kg):	48.06
Width:	1512	Top Thickness (mm):	15
Height:	695		
Dimension of top surface(mm)			
Depth:	500		
Width:	1512		
Inner Dimension of drawer(mm): Drawer 1 & 2			
Depth:	/		
Width:	/		
Height:	/		
Inner Leg Span (mm)			
Front:	1460	Side:	435
Back:	1460	Side:	435
Outer Leg Span (mm)			
Front:	1510	Side:	490
Back:	1510	Side:	490



**BUREAU  
VERITAS**

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

## TEST RESULTS FOR WESTERLEIGH TV STAND FOR TV S UP TO 65"

BS EN 14749:2016/ EN 14749:2016			
Clause	Description	Result	*Comments
EN 14749:2016 Clause 4.1	Preliminary preparation	C	See note I
--	Defect observed before testing	PASS	See note II
EN 14749:2016 Clause 5.2.1	General safety	PASS	--
EN 14749:2016 Clause 5.2.2	Unit moving vertically	NA	See note III
EN 14749:2016 Clause 5.2.3	Lids	NA	See note III
6EN 14749:2016 Clause 5.2.4	Vertically moving roll fronts and vertically moving sliding doors	NA	See note III
EN 14749:2016 Clause 5.2.5	Extension elements	NA	See note III
EN 14749:2016 Clause 5.3.2.1	Shelf retention - vertical downward	NA	See note III
EN 14749:2016 Clause 5.3.2.2	Shelf retention - horizontal outward	NA	See note III
EN 14749:2016 Clause 5.3.3	Shelf supports	NA	See note III
EN 14749:2016 Clause 5.3.4	Storage area/ volume for heavy appliance	NA	See note III
EN 14749:2016 Clause 5.3.5.1	Vertical load of pivoted doors	NA	See note III
EN 14749:2016 Clause 5.3.5.2	Horizontal load on pivoted doors	NA	See note III
EN 14749:2016 Clause 5.3.6	Sliding doors and horizontal roll fronts	NA	See note III
EN 14749:2016 Clause 5.3.7.1	Slam open of extension elements	NA	See note III
EN 14749:2016 Clause 5.3.7.2	Strength test of extension elements	NA	See note III
EN 14749:2016 Clause 5.3.8	Bottom hinged flaps	NA	See note III
EN 14749:2016 Clause 5.3.9, A.1	Top hinged flaps	NA	See note III
EN 14749:2016 Clause 5.3.10.2	Kitchen-worktops - static load test	NA	See note III
EN 14749:2016 Clause 5.3.10.3	Other top surfaces - static load test	PASS	--
EN 14749:2016 Clause 5.3.11.2	Wall and top hanging unit - Movable components, shelf supports and top surfaces	NA	See note III
EN 14749:2016 Clause 5.3.11.3	Wall and top hanging unit -Overload	NA	See note III
EN 14749:2016 Clause 5.3.11.4, A3	Wall and top hanging unit -Side wards detachment test	NA	See note III
EN 14749:2016 Clause 5.3.11.5	Wall and top hanging unit - Vertical dislodgement test	NA	See note III
EN 14749:2016 Clause 5.4.1.1	Stability - doors, extension elements and flaps close - unloaded - height of unit 1000 mm or more	PASS	--



BUREAU VERITAS

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

## TEST RESULTS FOR WESTERLEIGH TV STAND FOR TV S UP TO 65"

BS EN 14749:2016/ EN 14749:2016			
EN 14749:2016 Clause 5.4.1.2	Stability – doors, extension elements and flaps close - unloaded - height of unit 1000 mm or more	PASS	--
EN 14749:2016 Clause 5.4.1.3	Stability - unloaded - all doors, extension elements and flaps open	PASS	--
EN 14749:2016 Clause 5.4.1.4	Stability - unloaded - with overturning load	PASS	--
EN 14749:2016 Clause 5.4.1.5	Stability - loaded - with overturning load	PASS	--
EN 14749:2016 Clause 5.4.1.6	Stability - doors, extension elements and flaps close and lock	NA	See note III
EN 14749:2016 Clause 5.4.2	Stability - kitchen floor units with kitchen-worktops	NA	See note III
EN 14749:2016 Clause 5.4.3.2,A2.1	Stability – TV – furniture – one door, extension element or flap open - unloaded	PASS	--
EN 14749:2016 Clause 5.4.3.3,A2.2	Stability – TV – furniture – doors, extension elements and flaps close – unloaded	PASS	--
EN 14749:2016 Clause 5.5	Floor standing units intended to be attached to the building	NA	See note III
EN 14749:2016 Clause 5.6	Vertical glass component	NA	See note III
EN 14749:2016 Clause 6	Product information	NA	See note III
--	Temperature check	C	See note I

### COMMENTS:

- Note I** C = Conducted. Preconditioning was conducted prior to the tests. The submitted sample for requested testing was stored in an indoor ambient condition for 24 hours immediately prior to testing.
- Note II** No defect was observed prior to testing; the sample was self-assembled.
- Note III** NA = Not applicable.
- Note IV** NC = Not Conducted
- Note V** NA = The submitted sample is not applicable for this test clause in accordance with the requirement with the requirement described in Clause 5.3.1



**BUREAU  
VERITAS**

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

## TEST RESULTS FOR WESTERLEIGH TV STAND FOR TV S UP TO 65"

BS 4875-7:2006			
Clause	Description	Result	*Comments
ISO 7170:2005 Clause 4.1	Preliminary preparation	C	See note I
BS 4875-7:2006 Clause 5.1	Assembling	NA	See note III
BS 4875-7:2006 Clause 5.2	Moisture content of timber components	NA	See note III
BS 4875-7:2006 Clause 5.3	Inspection before testing	PASS	--
BS 4875-7:2006 Clause 5.4	Static load test for tops and bottoms	PASS	--
BS 4875-7:2006 Clause 5.4	Sustained load test for tops and bottoms	PASS	--
BS 4875-7:2006 Clause 5.4	Strength of shelf supports	PASS	--
BS 4875-7:2006 Clause 5.4	Deflection of shelves	PASS	--
BS 4875-7:2006 Clause 5.4	Strength of clothes rail supports	NA	See note III
BS 4875-7:2006 Clause 5.4	Dislodgement of cloths rails	NA	See note III
BS 4875-7:2006 Clause 5.4	Vertical load on pivoted doors	PASS	--
BS 4875-7:2006 Clause 5.4	Horizontal load on pivoted doors	PASS	--
BS 4875-7:2006 Clause 5.4	Durability of sliding doors and horizontal roll fronts	NA	See note III
BS 4875-7:2006 Clause 5.4	Slam shut test of pivoted doors	PASS	--
BS 4875-7:2006 Clause 5.4	Durability of pivoted doors	PASS	--
BS 4875-7:2006 Clause 5.4	Slam shut/open of sliding doors and horizontal roll fronts	NA	See note III
BS 4875-7:2006 Clause 5.4	Strength of bottom-hinged flaps	NA	See note III
BS 4875-7:2006 Clause 5.4	Durability of flaps	NA	See note III
BS 4875-7:2006 Clause 5.4	Drop test for top-hinged flaps	NA	See note III
BS 4875-7:2006 Clause 5.4	Durability of vertical roll fronts	NA	See note III
BS 4875-7:2006 Clause 5.4	Slam shut/open of vertical roll fronts	NA	See note III
BS 4875-7:2006 Clause 5.4	Strength of extension elements	NA	See note III
BS 4875-7:2006 Clause 5.4	Durability of extension elements	NA	See note III
BS 4875-7:2006 Clause 5.4	Slam open/shut of extension elements	NA	See note III
BS 4875-7:2006 Clause 5.4	Displacement of extension element bottoms	NA	See note III
BS 4875-7:2006 Clause 5.4	Interlock test	NA	See note III
BS 4875-7:2006 Clause 5.4	Strength test for locking and latching mechanism for extension elements	NA	See note III
BS 4875-7:2006 Clause 5.4	Strength test for locking and latching mechanisms for doors, flaps and roll fronts	NA	See note III
BS 4875-7:2006 Clause 5.4	Test for structure and underframe	PASS	--



**BUREAU  
VERITAS**

# Test Report: (1221)361-0020 DOREL HOME FURNISHINGS EUROPE

Received Date: December 27, 2021  
Report Date: January 05, 2022

## TEST RESULTS FOR WESTERLEIGH TV STAND FOR TV S UP TO 65"

BS 4875-7:2006			
Clause	Description	Result	*Comments
BS 4875-7:2006 Clause 5.4	Test for units with castors or wheels	NA	See note III
BS 4875-7:2006 Clause 5.4	Sustained load test	NA	See note III
BS 4875-7:2006 Clause 5.4	Dislodgement test	NA	See note III
BS 4875-7:2006 Clause 5.5	Inspection after testing	PASS	--
--	Temperature check	C	See note I

### COMMENTS:

- Note I** C = Conducted. Preconditioning was conducted prior to the tests. The submitted sample for requested testing was stored in an indoor ambient condition for 24 hours immediately prior to testing.
- Note II** No defect was observed prior to testing; the sample was self-assembled.
- Note III** NA = Not applicable.
- Note IV** NC = Not Conducted
- Note V** NA = The submitted sample is not applicable for this test clause in accordance with the requirement with therequirement described in Clause 5.3.1



**BUREAU  
VERITAS**

**Test Report: (1221)361-0020  
DOREL HOME FURNISHINGS EUROPE**

Received Date: December 27, 2021  
Report Date: January 05, 2022

**EXHIBIT  
PHOTO(S)**



**EXHIBIT 01 (FRONT VIEW)**



**EXHIBIT 02 (REAR VIEW)**



**EXHIBIT 03 (SIDE VIEW)**

---

END OF REPORT