

## China Sample test

Written by: **Tang**

Date: **2026-05-12**

Report No.: <b>DCXM_20250512</b>	Supplier: <b>Anyee</b>
Model & description: <b>Novogratz Tallulah Memory Foam Chair</b>	
<b>General information:</b> Product overall dimension: <b>Chair dimension: 86*82*82 cm</b> Color: <b>Grey</b> Major material: <b>wood frame with zigzag spring wire, regular foam, polyester, non-woven fabric, fabric cover</b> Carton dimension: <b>88*77*46 cm</b> Package requirement: <b>ISTA 3A</b>	
<b>TEST TERMS &amp; CLAUSES, INSPECTION RESULT:</b>	
<b>Static Load Test:</b> Sample withstands a load of 300 lb evenly distributed upon each seating surface for a period of 24 hrs without noticeable permanent deformation, structural damage, or loss in stability, and without disengaging or binding of the folding mechanism (if mechanism provided).  Rating: <b>PASS</b>	
<b>Leg Strength Test:</b> The front and rear legs withstand a force of 75 pounds applied to the end of the sofa for 1 minute with no permanent deformation or loss in serviceability. Load is applied horizontally towards the restrained legs at a point equivalent to the level of the arm rest.  Rating: <b>PASS</b>	
<b>Drop Test:</b> Place the futon in seating position on a flat concrete floor, each seating position shall be tested with a drop bag, drop bag needs to be filled with sand or comparable material for a total weight of 225 lbs and it's 16'' ±2'' in diameter. Release the drop bag from 6'' high at the center of the bag while the other seats are loaded with 300 lbs bag.  Rating: <b>PASS</b>	
<b>EN 12520:</b> Furniture – Strength, durability and safety – Requirements for domestic seating <b>EN 1022:</b> Domestic Furniture – Seating – Determination of Stability (Experimental Method)  Rating: <b>PASS</b>	

---

**PHYSICAL INSPECTION COMMENTS AND SUGGESTIONS:**

- 1) The overall dimensions conform to spec.
- 2) The backrest is inserted onto seat with brackets.
- 3) Legs are made of painted wood, leg height 20 cm.
- 4) The sample passed the static load test successfully.
- 5) The sample passed the leg strength test successfully.
- 6) The sample passed the arm strength test successfully.
- 7) The sample passed the drop test successfully.
- 8) The sample passed EN 1022 (stability) and EN 12520 (strength, durability, and safety) test successfully.

**For details, please look at the pictures attached to this test report hereinafter.**

---


**Related pictures of this test report**



**Product review.**




**The backrest is inserted onto seat with brackets.**



**Legs are made of painted wood, leg height 20 cm.**



**The sample passed the static load test successfully.**



**The sample passed the leg strength test successfully.**



**The sample passed the arm strength test successfully.**



**Drop test**



**After drop test, the sample functions properly, no breakage of components was found. The drop test result is PASS.**