



**BUREAU  
VERITAS**

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

# PASS

### SUBMITTER

Dorel Home Furnishings Europe  
Building 4, Imperial Place Maxwell Road, Borehamwood WD6 IJN, United Kingdom



### STYLE NUMBER

3619013COMCLUK, 3619408COMCLUK, 3619872COMCLUK

### PRODUCT DESCRIPTION

WESTERLEIGH SIDE TABLE

### EXECUTIVE SUMMARY

The sample(s) MEET all the tested requirement(s).

### REMARKS

As per client requested, only BS EN 14749:2016 and BS 4875-7:2006 Tests were conducted.

### TECHNICAL QUESTIONS

Muhammad Akmalhakim  
(607) 510 2086  
akmalhakim.mohd-fauzi@bureauveritas.com

**SIGNATURES** BUREAU VERITAS CPS SDN BHD

### GENERAL INFORMATION

Noor Najwa Laili  
(607) 510 2086  
noor.najwa@bureauveritas.com

**MUHAMMAD AKMALHAKIM  
AUTHORIZED REPORT APPROVER –  
HARDLINES**



**BUREAU  
VERITAS**

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

|                                  |  |
|----------------------------------|--|
| <b>VENDOR NAME</b>               | DOREL HOME FURNISHINGS EUROPE  |
| <b>AGENT NAME</b>                | /  |
| <b>FACTORY NAME</b>              | POH KEONG INDUSTRIES SDN BHD   |
| <b>NUMBER OF CARTONS/SAMPLES</b> | 1 SET  |
| <b>ITEM NUMBER</b>               | /  |
| <b>MODEL NUMBER</b>              | 3619013COMCLUK, 3619408COMCLUK, 3619872COMCLUK   |
| <b>PURCHASE ORDER NUMBER</b>     | TBA  |
| <b>COUNTRY OF ORIGIN</b>         | MALAYSIA   |
| <b>CLIENT REFERENCE NUMBER</b>   | /  |
| <b>UPC CODE</b>                  | /  |
| <b>COLOR</b>                     | WHITE, GREY, BLACK   |
| <b>ASSORTMENT NUMBER</b>         | /  |
| <b>SKU/SKN NUMBER</b>            | /  |
| <b>PRODUCT END USE</b>           | /  |
| <b>LOT NUMBER</b>                | /  |
| <b>COUNTRY OF DESTINATION</b>    | UNITED KINGDOM   |
| <b>BUYER NAME</b>                | DOREL HOME FURNISHINGS EUROPE  |
| <b>TEST REQUESTED</b>            | <ul style="list-style-type: none"><li>- BS EN 14749:2016; EN 14749 DOMESTIC AND KITCHEN STORAGE UNITS AND WORKTOPS – SAFETY REQUIREMENTS AND TEST METHODS</li><li>- BS 4875-7:2006 PART 7: DOMESTIC AND CONTRACT STORAGE FURNITURE – PERFORMANCE REQUIREMENT</li></ul> |
| <b>PROTOCOL STAR LEVEL</b>       | /  |
| <b>FAIL RETEST</b>               | NO   |
| <b>PREVIOUS REPORT NUMBER</b>    | /  |
| <b>RETEST SAMPLE NUMBER</b>      | /  |
| <b>REPORT EXPIRATION DATE</b>    | January 12, 2023   |



BUREAU  
VERITAS

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

## TEST RESULTS FOR WESTERLEIGH SIDE TABLE

### PHYSICAL CHARACTERISTICS:

|   |     |                     |       |
|---|-----|---------------------|-------|
| Overall Dimension (mm)                  |     |                     |       |
| Depth:                                  | 395 | Total Weight (kg):  | 13.94 |
| Width:                                  | 615 | Top Thickness (mm): | 18    |
| Height:                                 | 715 |                     |       |
| Dimension of top surface(mm)            |     |                     |       |
| Depth:                                  | 395 |                     |       |
| Width:                                  | 600 |                     |       |
| Inner Dimension of drawer(mm): Drawer 1 |     |                     |       |
| Depth:                                  | 277 |                     |       |
| Width:                                  | 466 |                     |       |
| Height:                                 | 200 |                     |       |
| Inner Leg Span (mm)                     |     |                     |       |
| Front:                                  | 544 | Side:               | 325   |
| Back:                                   | 544 | Side:               | 325   |
| Outer Leg Span (mm)                     |     |                     |       |
| Front:                                  | 595 | Side:               | 375   |
| Back:                                   | 595 | Side:               | 375   |



**BUREAU  
VERITAS**

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

## TEST RESULTS FOR WESTERLEIGH SIDE TABLE

| BS EN 14749:2016/ EN 14749:2016   |   |        |              |
|-----------------------------------|---|--------|--------------|
| Clause                            | Description   | Result | *Comments    |
| EN 14749:2016 Clause 4.1          | Preliminary preparation   | C      | See note I   |
| --                                | Defect observed before testing  | PASS   | See note II  |
| EN 14749:2016 Clause 5.2.1        | General safety  | PASS   | --           |
| EN 14749:2016 Clause 5.2.2        | Unit moving vertically  | NA     | See note III |
| EN 14749:2016 Clause 5.2.3        | Lids  | NA     | See note III |
| 6EN 14749:2016 Clause 5.2.4       | Vertically moving roll fronts and vertically moving sliding doors               | NA     | See note III |
| EN 14749:2016 Clause 5.2.5        | Extension elements  | PASS   | --           |
| EN 14749:2016 Clause 5.3.2.1      | Shelf retention - vertical downward   | PASS   | --           |
| EN 14749:2016 Clause 5.3.2.2      | Shelf retention - horizontal outward  | PASS   | --           |
| EN 14749:2016 Clause 5.3.3        | Shelf supports  | NA     | See note III |
| EN 14749:2016 Clause 5.3.4        | Storage area/ volume for heavy appliance  | NA     | See note III |
| EN 14749:2016 Clause 5.3.5.1      | Vertical load of pivoted doors  | NA     | See note III |
| EN 14749:2016 Clause 5.3.5.2      | Horizontal load on pivoted doors  | NA     | See note III |
| EN 14749:2016 Clause 5.3.6        | Sliding doors and horizontal roll fronts  | NA     | See note III |
| EN 14749:2016 Clause 5.3.7.1      | Slam open of extension elements   | PASS   | --           |
| EN 14749:2016 Clause 5.3.7.2      | Strength test of extension elements   | PASS   | --           |
| EN 14749:2016 Clause 5.3.8        | Bottom hinged flaps   | NA     | See note III |
| EN 14749:2016 Clause 5.3.9, A.1   | Top hinged flaps  | NA     | See note III |
| EN 14749:2016 Clause 5.3.10.2     | Kitchen-worktops - static load test   | NA     | See note III |
| EN 14749:2016 Clause 5.3.10.3     | Other top surfaces - static load test   | PASS   | --           |
| EN 14749:2016 Clause 5.3.11.2     | Wall and top hanging unit - Movable components, shelf supports and top surfaces | NA     | See note III |
| EN 14749:2016 Clause 5.3.11.3     | Wall and top hanging unit -Overload   | NA     | See note III |
| EN 14749:2016 Clause 5.3.11.4, A3 | Wall and top hanging unit - Sideways detachment test                            | NA     | See note III |
| EN 14749:2016 Clause 5.3.11.5     | Wall and top hanging unit - Vertical dislodgement test                          | NA     | See note III |
| EN 14749:2016 Clause 5.4.1.1      | Stability - unloaded - height of unit 1000 mm or less                           | PASS   | --           |



BUREAU  
VERITAS

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

## TEST RESULTS FOR WESTERLEIGH SIDE TABLE

| BS EN 14749:2016/ EN 14749:2016     |   |      |              |
|-------------------------------------|---|------|--------------|
| EN 14749:2016 Clause 5.4.1.2        | Stability - unloaded - height of unit 1000 mm or more               | PASS | --           |
| EN 14749:2016 Clause 5.4.1.3        | Stability - unloaded - all doors, extension elements and flaps open | PASS | --           |
| EN 14749:2016 Clause 5.4.1.4        | Stability - unloaded - with overturning load                        | PASS | --           |
| EN 14749:2016 Clause 5.4.1.5        | Stability - loaded - with overturning load                          | PASS | --           |
| EN 14749:2016 Clause 5.4.1.6        | Stability - Doors, extension elements and flaps closed and locked   | PASS | --           |
| EN 14749:2016 Clause 5.4.2          | Additional stability - kitchen floor unit with kitchen-worktops     | NA   | See note III |
| EN 14749:2016 Clause 5.4.3.2, A.2.1 | Additional stability - kitchen floor unit with kitchen-worktops     | NA   | See note III |
| EN 14749:2016 Clause 5.4.3.3, A.2.2 | Additional stability - kitchen floor unit with kitchen-worktops     | NA   | See note III |
| EN 14749:2016 Clause 5.5            | Floor standing units intended to be attached to the building        | NA   | See note III |
| EN 14749:2016 Clause 5.6            | Vertical glass components   | NA   | See note III |
| EN 14749:2016 Clause 6              | Product information   | PASS | --           |

### COMMENTS:

**Note I** C = Conducted. Preconditioning was conducted prior to the tests. The submitted sample for requested testing was stored in an indoor ambient condition for 24 hours immediately prior to testing.

**Note II** No defect was observed prior to testing; the sample was self-assembled.

**Note III** NA = Not applicable.

**Note IV** NC = Not Conducted.

**Note V** NA = The submitted sample is not applicable for this test clause in accordance with the requirement with the requirement described in Clause 5.3.1



**BUREAU  
VERITAS**

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

## TEST RESULTS FOR WESTERLEIGH SIDE TABLE

| BS 4875-7:2006            |  |        |              |
|---------------------------|--|--------|--------------|
| Clause                    | Description  | Result | *Comments    |
| ISO 7170:2005 Clause 4.1  | Preliminary preparation  | C      | See note I   |
| BS 4875-7:2006 Clause 5.1 | Assembling   | PASS   | --           |
| BS 4875-7:2006 Clause 5.2 | Moisture content of timber components  | PASS   | --           |
| BS 4875-7:2006 Clause 5.3 | Inspection before testing  | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Static load test for tops and bottoms  | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Sustained load test for tops and bottoms   | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Strength of shelf supports   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Deflection of shelves  | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Strength of clothes rail supports  | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Dislodgement of cloths rails   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Vertical load on pivoted doors   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Horizontal load on pivoted doors   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Durability of sliding doors and horizontal roll fronts                             | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Slam shut test of pivoted doors  | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Durability of pivoted doors  | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Slam shut/open of sliding doors and horizontal roll fronts                         | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Strength of bottom-hinged flaps  | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Durability of flaps  | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Drop test for top-hinged flaps   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Durability of vertical roll fronts   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Slam shut/open of vertical roll fronts   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Strength of extension elements   | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Durability of extension elements   | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Slam shut/open of extension elements   | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Displacement of extension elements   | PASS   | --           |
| BS 4875-7:2006 Clause 5.4 | Interlock test   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Strength test for locking and latching mechanism for extension elements            | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Strength test for locking and latching mechanisms for doors, flaps and roll fronts | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Test for units structure and underframe  | PASS   | --           |



BUREAU  
VERITAS

# Test Report: (1221)361-0019 DOREL HOME FURNISHINGS EUROPE

Received Date: November 27, 2021  
Report Date: January 12, 2022

## TEST RESULTS FOR WESTERLEIGH SIDE TABLE

| BS 4875-7:2006            |                                       |        |              |
|---------------------------|---------------------------------------|--------|--------------|
| Clause                    | Description                           | Result | *Comments    |
| BS 4875-7:2006 Clause 5.4 | Test for units with castors or wheels | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Sustained load test                   | NA     | See note III |
| BS 4875-7:2006 Clause 5.4 | Dislodgement test                     | NA     | See note III |
| BS 4875-7:2006 Clause 5.5 | Inspection after testing              | PASS   | --           |
| --                        | Temperature check                     | C      | See note I   |

### COMMENTS:

**Note I** C = Conducted. Preconditioning was conducted prior to the tests. The submitted sample for requested testing was stored in an indoor ambient condition for 24 hours immediately prior to testing.

**Note II** No defect was observed prior to testing; the sample was self-assembled.

**Note III** NA = Not applicable.

**Note IV** NC = Not Conducted.

**Note V** NA = The submitted sample is not applicable for this test clause in accordance with the requirement with the requirement described in Clause 5.3.1



**BUREAU  
VERITAS**

**Test Report: (1221)361-0019  
DOREL HOME FURNISHINGS EUROPE**

Received Date: November 27, 2021  
Report Date: January 12, 2022

**EXHIBIT  
PHOTO(S)**



**Exhibit 01 FRONT VIEW**



**Exhibit 02 REAR VIEW**



**Exhibit 03 SIDE VIEW**



**Exhibit 04 BOTTOM VIEW**

---

END OF REPORT