

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023

Page: 1 of 15

DOREL HOME FURNISHINGS EUROPE LTD  
 ALPHASON HOUSE, 244 SWAN LANE, HINDLEY GREEN, WIGAN WN2 4EY, UNITED KINGDOM

The following sample(s) was/were submitted and identified by the client as:

Sample Description : BABY RELAX HUNTER 3PC KIDS SET GRY/WHT  
 Style/ Item No. : DA7501GUK  
 Buyer : DOREL HOME EUROP/AMAZON  
 Manufacturer : XIAOMUREN BABY PRODUCTS FACTORY  
 Country of Origin : CHINA  
 Country of Destination : UK  
 Sample Receiving Date : SEP. 22, 2023  
 Testing Period : SEP. 22, 2023 TO DEC. 01, 2023  
 Test Performed : SELECTED TEST(S) AS REQUESTED BY APPLICANT  
 Test Requested : 1. EN 17191:2021 CHILDREN'S FURNITURE - SEATING FOR CHILDREN - SAFETY REQUIREMENTS AND TEST METHODS - EXCLUDING CLAUSE 11  
 2. FIRA/FRQG C001:2021 FURNITURE - CHILDREN'S DOMESTIC FURNITURE – GENERAL SAFETY REQUIREMENTS (EXCEPT FOR SALT SPRAY TEST OF CLAUSE 5.1, AND CLAUSE 6)  
 3. FIRA/FRQG C003:2021 FURNITURE - CHILDREN'S DOMESTIC FURNITURE - TABLES AND DESKS – REQUIREMENTS FOR STRENGTH, STABILITY AND DURABILITY (LEVEL 1)  
 Test Result(s) : FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)  
 Conclusion : THE SUBMITTED SAMPLE MET THE TEST REQUIREMENT.

\*\*\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023

Page: 2 of 15

Signed for and on behalf of  
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Jack Zheng  
Authorized Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 3 of 15

Test Conducted:

For chair

## EN 17191:2021 CHILDREN'S FURNITURE - SEATING FOR CHILDREN - SAFETY REQUIREMENTS AND TEST METHODS

- Number of Test Specimen:   1   piece of sample
- Test Result: Details Shown as Following Table:

Clause	Test Method / Requirement	Rating								
<b>4</b>	<b>General requirements</b>									
4.1	<b>General</b> Size 1 seating as specified in 4.5 that allows a child to be elevated to the height of a dining table shall also fulfil the requirements of EN 14988:2017+A1:2020 or shall be clearly sold as not intended for children less than 3 years old.	N/A								
4.5	<b>Seating sizes</b> The seating shall be tested with reference to the <i>seat height</i> (3.2), see Table 1.  Table 1 — Seating sizes <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Size (mm)</th> <th>Size 1</th> <th>Size 2</th> <th>Size 3</th> </tr> </thead> <tbody> <tr> <td>Seat height (H)</td> <td>H ≤ 270</td> <td>270 &lt; H ≤ 360</td> <td>H &gt; 360</td> </tr> </tbody> </table>	Size (mm)	Size 1	Size 2	Size 3	Seat height (H)	H ≤ 270	270 < H ≤ 360	H > 360	H: 283mm Size 2
Size (mm)	Size 1	Size 2	Size 3							
Seat height (H)	H ≤ 270	270 < H ≤ 360	H > 360							
4.6	<b>Accessibility</b> For the purpose of the standard, all parts of the seating are considered accessible to the child.									
4.7	Testing range of seating If seating in a range of sizes is manufactured with identical construction details, it is only necessary to carry out the complete strength, durability and stability tests on the largest size in the range, plus additional stability tests on the smallest size in the range. In the event of failure of any seating in the above test programme, the complete test programme shall be carried out on each seating size mark individually.									
4.8	<b>Testing seating adjustable in height</b> If the height of the seating can be adjusted, it is necessary to carry out the complete strength, durability and stability tests with the seating in its highest position, plus additional stability tests with the seating in its lowest position.									
<b>6</b>	<b>General safety requirements</b>									
6.1	<b>Hazards from glass</b> There shall be no glass in seating for children.	PASS								
6.2	<b>Edges and corners</b> All parts shall be designed so that physical injury and damage are avoided. This requirement is fulfilled when: <ul style="list-style-type: none"> <li>— the edges of the seat, back rest and arm rests, which are in contact with the child when sitting in the seating, are rounded or chamfered;</li> <li>— the edges of handles are rounded in the direction of the force applied;</li> <li>— all other accessible edges and corners are smooth, rounded or chamfered and with no burrs;</li> <li>— there is no pointed or protruding surface that constitutes a puncture</li> </ul>	PASS								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233      t (86) 400 960 9661      f (86-21) 6115 6899      www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233      t (86) 400 960 9661      f (86-21) 6115 6899      e sgs.china@sgs.com

Clause	Test Method / Requirement	Rating
	hazard; — rough surfaces shall not cause injury during use.	
6.3	<b>Entrapment hazards</b>	
6.3.1	<b>Finger entrapment hazards</b>	
6.3.1.1	<b>Requirements</b> When tested in accordance with 6.3.1.2 there shall be no completely bounded openings in rigid materials within the protected volume that let the 7 mm probe enter unless the depth of penetration is less than 10 mm or unless the shape assessment probe enters. When measured in accordance with 6.3.1.2, it shall not be possible for the 7 mm probe to penetrate the holes of the mesh.	PASS
6.3.2	<b>Partially bound, V and irregular shaped openings</b>	
6.3.2.1	<b>Requirements</b> The following requirements apply to size 1 seating only. Partially bound and V-shaped openings with a lower edge $\geq 600$ mm above the ground shall be constructed that when tested in accordance with 6.3.2.2 either: a) portion B of the V and irregular shaped openings template does not enter the opening; or b) the apex of portion A of the V and irregular shaped openings template makes contact with the base of the opening.	N/A
6.4	<b>Hazards caused by folding of the seating</b>	
6.4.1.	<b>Requirements</b>	
6.4.1.1	<b>General</b> The requirements in 6.4.1.2 and 6.4.1.3 do not apply to <i>deckchairs</i> (see 3.4). There shall be at least one <i>locking mechanism</i> (see 3.6), which prevents a foldable seating from folding when in use.	N/A
6.4.1.2	<b>Incomplete deployment during the setting up</b> In order to prevent hazards due to incomplete deployment, the seating shall fulfil one of the following requirements: a) the weight of the child in the seating shall act to prevent folding; or b) at least one locking device shall engage automatically, when the seating is ready for use.	N/A
6.4.1.3	<b>Unintentional folding of the seating</b> Unintentional folding of the seating shall be prevented. This requirement is fulfilled if one of the following conditions is met: a) at least one operating device requires a minimum force of 50 N to activate and a maximum force of 300 N, before and after all locking mechanisms have been operated 300 times, or b) folding is only possible if at least one locking mechanism requires the use of a tool, or c) folding is only possible, when two independent operating devices are operated simultaneously, or d) there are two or more automatically engaging locking devices that cannot both be released by one single action, or e) folding of the seating requires two consecutive actions, the first of which shall be maintained	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

Clause	Test Method / Requirement	Rating
	while the second is carried out.	
6.4.2	<b>Automatic locking device</b>	
6.4.2.1	<b>Requirement</b> When tested in accordance with 6.4.2.2 automatic locking devices shall not release or open.	N/A
6.5	<b>Hazards caused by deckchairs</b>	
6.5.1	General All <i>deckchairs</i> (see 3.4 and Figure 13), regardless of size, shall be fitted with a <i>locking device</i> (see 3.5) that fulfils the requirements of 6.5.2.	
6.5.2	<b>Requirements</b> During the tests, the transverse bar is allowed to disengage from its initial locking position. At the end of each test (not only those specified in 6.5.3): — the transverse bar shall be correctly engaged in any locking position; — if during testing according to 6.5.3.1 the <i>deckchair</i> lifts without disengagement of the transverse bar from its locked position before the 450N force is reached the requirement is considered as to be met; — there shall be no fracture of any component or any joint; — there shall be no loosening of any assembly intended to be rigid; — there shall be no loss of function of the seating or any component.	N/A
6.6	<b>Hazard from moving parts</b>	
6.6.1	<b>Shearing and compression hazards when setting up and folding</b> Unless 6.6.2 or 6.6.3 is applicable, shearing and compression hazards that are created only during erecting, adjusting or folding away the seating are acceptable because the user can be assumed to be in control of his/her movements and to be able to cease applying the force immediately on experiencing pain.	PASS
6.6.2	<b>Shearing and compression points under influence of powered mechanism</b> To avoid shearing and compression points created under the influence of a powered mechanism, the minimum clearance between parts moving relative to each other shall be 25 mm during all movements unless the clearance between the parts is always less than 5 mm.	N/A
6.6.3	<b>Shearing and compression points during use</b> To avoid shearing and compression points created by forces applied during normal use, the minimum clearance between parts moving relative to each other shall be: a) 12 mm for size 1 seating, unless the clearance between the parts is always less than 5 mm; and b) 18 mm for sizes 2 and 3 seating, unless the clearance between the parts is always less than 5 mm. For size 1 and 2, the forces applied during the static tests shall be used to assess the requirements. For size 3, the forces applied during the durability tests shall be used to assess the requirements.	PASS
6.7	<b>Hazards from enclosure</b>	N/A



Clause	Test Method / Requirement	Rating
	<p>Seating which a child can enter shall conform to the following requirements:</p> <ul style="list-style-type: none"> <li>a) any seating having a door, lid or similar device which encloses a continuous volume greater than 0,03 m3 and in which all internal dimensions are 150 mm or more shall provide at least two unobstructed ventilation holes, each 650 mm<sup>2</sup> or more, situated at least 150 mm apart. The total ventilation area shall be provided when the seating is placed on the floor in any position and adjacent to two vertical plane surfaces meeting at a 90° angle so as to simulate the corner of a room. The ventilation area is not required if the continuous volume is effectively subdivided into compartment(s) by a permanent partition(s) or one or more bars making at least one dimension in</li> <li>b) for seating having a door, lid or similar device, it shall be possible to open the door, lid or similar device by applying a force of 50 N or less from the inside;</li> </ul> <p>NOTE This requirement precludes the use of buttons, zips and similar fastenings on doors, lids or similar devices.</p> <ul style="list-style-type: none"> <li>c) seating chests with vertically opening hinged lids shall be provided with a lid-support mechanism to prevent sudden collapse or dropping of the lid. The lid-support mechanism shall support the lid so that at no position in the arc of travel of the lid from within 50 mm of the fully closed position through an arc not to exceed 60° from the fully closed position shall it drop more than 12 mm under the influence of its own mass, except in the last 50 mm of travel. The test shall be performed according to EN 71-1:2014+A1:2018, 8.31.2 (lid support).</li> </ul> <p>The lid-support mechanism shall conform to this requirement before and after being subjected to 7 000 opening and closing cycles, as described in EN 71-1:2014+A1:2018, 8.31.3 (durability test for vertically opening hinged lids).</p> <p>The lid-support mechanism shall not require adjustment by the consumer to ensure adequate lid support, nor shall it require adjustment in order to conform to the above requirement after being cycled according to EN 71-1:2014+A1:2018, 8.31.3 (durability test for vertically opening hinged lids).</p> <p>The lid and lid-support mechanism shall conform to the requirements in EN 71-1:2014+A1:2018, 4.10.3 (hinges).</p> <p>Seating chests with vertically opening hinged lids shall be accompanied by instructions for proper assembly and maintenance, if applicable.</p>	
6.8	<p><b>Entanglement hazards</b></p> <p>The following requirements apply to size 1 seating only.</p> <p>Cords, ribbons and similar parts shall have a maximum free length of 220 mm when a 25 N tensile force is applied.</p> <p>Where cords, ribbons and similar parts are attached to the seating</p>	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

Clause	Test Method / Requirement	Rating
	<p>together or within 80 mm of each other, any single cord shall have a maximum free length of 220 mm and the combined length from one loose end to the other shall be maximum 360 mm.</p> <p>Loops shall have a maximum peripheral dimension of 360 mm when a 25 N tensile force is applied.</p> <p>When the seating is equipped with a restraint system to fulfil another function, the restraint system shall be capable of being removed, hidden or covered in accordance with the manufacturer's instructions.</p>	
6.9	<b>Choking and ingestion hazards</b>	
6.9.1	<p><b>Requirements</b> The following requirements apply to size 1 seating and soft seating only. The following requirements do not apply to paper. When tested in accordance with 6.9.2, any component or part of a component, including labels and decals, that can be removed shall not fit entirely within the small parts cylinder (see 5.3).</p>	N/A
6.9.3	<b>Filling material</b>	
6.9.3.1	<p><b>Requirements</b> The following requirements apply to size 1 seating and all sizes of <i>soft seating</i> (3.9) only. When tested in accordance with 6.9.3.3 no upholstery filling material (for example fiber, foam, granules) shall be accessible from any upholstered seating. When tested in accordance with 6.9.3.3.2.2, the force of rupture shall be greater than 60 N. When tested in accordance with 6.9.3.3.2.1, slippage of threads of seating cover for woven fabrics, the maximum slippage of thread shall be 7 mm. When tested in accordance with 6.9.3.3.2.3, slide fasteners (zip), any slide fastener (zip) shall not open. When tested in accordance with 6.9.3.3.3, it shall not be possible to insert the front part of a 12 mm diameter probe (5.1.1) into any opening in the seam or cover material by more than 6 mm.</p>	N/A
6.9.3.2	<p><b>Removable seating covers</b> The following requirements apply to size 1 seating and all sizes of <i>soft seating</i> (3.9) only. The means to close/attach removable covers shall not allow a child to have access to filling materials. This requirement is met if one of the following conditions is fulfilled: — a minimum force of 50 N is required to open the closing system; or — two actions (e.g. push and twist) are necessary to open the closing system, the first of which shall be maintained while the second is carried out; or — two independent actions are necessary to open the closing system that shall be operated simultaneously; or — the use of a tool is required to open the closing system; or</p>	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

Clause	Test Method / Requirement	Rating															
	— A NON-REMOVABLE INNER COVER IS PROVIDED TO AVOID ACCESSIBILITY TO THE FILLING MATERIAL.																
6.9.4	<b>Magnets</b> If magnets are provided with the seating, they shall fulfil the requirements of EN 71-1:2014+A1:2018, 4.23.2.	N/A															
6.10	<b>Suffocation hazards</b> Plastic sheeting used for packaging with an area greater than 100 mm x 100 mm shall conform to one of the following requirements: a) have an average sheet thickness of 0,038 mm or more; or b) be perforated with defined holes so that a minimum of 1 % of the area has been removed over any area of 30 mm x 30 mm. Plastic bags used for packaging with an opening perimeter greater than 360 mm shall not have a drawstring or cord as a means of closing. Shrink packaging that is destroyed, when the packaging is opened by the user, is excluded from these requirements. Any plastic covering used for packaging, with the exclusion of shrink packaging, having an opening perimeter greater than 360 mm shall be marked with the word "WARNING" followed by the statement "Keep plastic covering away from children to avoid suffocation". This statement may be expressed in different words providing they clearly convey the same message. The text shall be accompanied by the symbol of the warning triangle .	N/A															
7	<b>Chemical requirements</b> The following requirements apply to size 1 seating only. verification shall be provided that the migration of heavy metals in the surfaces of any material used that are accessible to the mouth of the child fulfil the requirements of EN 71-3:2019+A1:2021.	N/A															
8	<b>Fire and thermal hazards</b> Verification shall be provided that all accessible textile materials do not produce <i>surface flash</i> when tested according to EN 71-2:2020, 5.5.1 and 5.5.2.	N/A															
9	<b>Strength and durability requirements</b>																
9.1	<b>Test conditions</b>																
9.1.1	<p><b>Seat and back loading point</b> Seat and back loading point shall be determined according to the dimensions shown in Table 2. Figure 18 gives examples of loading points on two different seating.</p> <p><b>Table 2 — Seat and back loading points</b></p> <table border="1"> <thead> <tr> <th rowspan="2">POINTS</th> <th colspan="3">SEAT SIZES</th> </tr> <tr> <th>1</th> <th>2</th> <th>3</th> </tr> </thead> <tbody> <tr> <td>SLP SEAT LOADING POINT (X)</td> <td>120</td> <td>145</td> <td>160</td> </tr> <tr> <td>BLP BACK LOADING POINT (Y)</td> <td>180</td> <td>250</td> <td>300</td> </tr> </tbody> </table> <p>Where the geometry of the seat does not allow the back load to be applied at the point defined in Table 2 the load shall be applied at the nearest point (up or down) on the back</p>	POINTS	SEAT SIZES			1	2	3	SLP SEAT LOADING POINT (X)	120	145	160	BLP BACK LOADING POINT (Y)	180	250	300	
POINTS	SEAT SIZES																
	1	2	3														
SLP SEAT LOADING POINT (X)	120	145	160														
BLP BACK LOADING POINT (Y)	180	250	300														



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

Clause	Test Method / Requirement	Rating
	structure. The bending moment (back load, N, x seat to back loading point, m) shall remain constant. If the seat and backrest is one single piece of flexible material, the seat loading point is the lowest point when the test mass (see 5.7) is placed on the seat.	
9.1.2	<b>Determination of the backrest angle</b> Place the angle measuring device (5.6) with its seat part on the seat of the seating and with its backrest part against the backrest of the seating and with the hinge aligned with the junction line and with the longitudinal axis of the angle measuring device aligned with the longitudinal axis of the seat as shown in figure 19. if applicable, adjust the backrest to the most reclined position. Measure the angle between the backrest part and the horizontal.	88.7°
9.1.3	<b>Determination of the number of seats</b> The number of places of multi-seating is the lower integer of the width of the seat in mm divided by 300.	
9.2	<b>Seating size and test levels</b> Sizes 1 and 2 seating shall be tested according to level 1 specified in table2. Size 3 seating shall be tested according to level 2 specified in table2.	
9.3	<b>Requirements</b> If the seating fulfils the Strength and Durability requirements of EN 1729-2, then the seating fulfils the strength and durability requirements of this European Standard with the exception of seating with armrests. after the seating has been tested in accordance with 9.4, the following requirements shall be fulfilled: a). there shall be no fracture of any member, joint or component, including seat suspensions and castors; b). there shall be no loosening of joints intended to be rigid; c). there shall be no deformation that will adversely affect the safety of any part of the seating; d). there shall be no impairment of the operation of any mechanical part.	PASS
9.4	<b>Strength and durability tests</b>	
9.4.1	<b>General</b> Strength and durability tests shall be carried out in accordance with EN 1728:2012, except that the seat and back loading points shall be as specified in 9.1 and that the test forces shall be as specified in Table 3. For the application of forces on the seat, the smaller seat loading pad described in EN 1728:2012, 5.5 shall be used. The legs or the frame of rocking seating shall be prevented from rocking to allow the correct application of the test loads. With the exception of soft seating and seating intended only for very young children (see 9.4.2 and 9.4.3), all tests shall be carried out on the same sample according to Table 3 and in the order listed in Table 3.	
9.4.2	<b>Soft seating</b> Soft seating shall only be tested in accordance with the tests 6 and 11 from table3, at test level 2. test 6 is only carried out on the seat. All other seating shall be tested on the same sample according to table3,	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 10 of 15

Clause	Test Method / Requirement	Rating
	in the order listed in table3. The test foam shall not be used.	
9.4.3	<b>Seating intended for very young children only</b> Seats of sizes 1 and 2, with a seat width (3.8) ≤ 280 mm limited by a structure (for example armrests or sides) and having a seat and backrest made of soft material, e.g. Fabric, foam, are considered as intended for very young children only. For such products, applicable forces from table 3 level 1 for test 1; 3 and 5 shall be reduced by 50%.	N/A
	1. Seat and back static load test	PASS
	2. Seat front edge static load test	N/A
	3. Footrest static load test	N/A
	5. Arm downward static load test	N/A
	6. Seat and back durability test	N/A
	7. Seat front edge durability test	N/A
	8. Arm durability test	N/A
	9. Leg forward static load test	PASS
	10. Leg sideways static load test	PASS
	11. Seat impact test	PASS
	12. Back impact test	PASS
<b>10</b>	<b>Stability requirements</b>	
	<b>Requirements</b> The stability requirements are fulfilled when, during testing in accordance with 10.1 and 10.2, the seating does not overturn.	PASS
10.1	1. Forward overturning	PASS
	2. Corner stability	N/A
	3. Sideways stability without arms	PASS
	4. Sideways stability with armrests	N/A
	5. Rearwards stability	PASS
10.2	<b>Alternative rearwards stability tests for rocking and reclining chairs</b>	
	<b>Rocking chairs</b> This test replaces the rearwards stability test specified in Table 4. Rocking chairs shall be tested in accordance with EN 1022:2018, 7.4.5, with the following test loads: <b>Size 1 seating</b> Load the seating with the test mass (see 5.7), resting against the backrest. <b>Size 2 seating</b> Load the seating with three loading discs as specified in EN 1022:2018, 5.7. If it is not possible to use the test discs specified in EN 1022:2018, these disks may be substituted for test disks with a smaller diameter but the same height and mass to allow testing to be carried out on seatings with a small seat area. <b>Size 3 seating</b> Load the seating with six loading discs as specified in EN 1022:2018, 4.4.	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 11 of 15

Clause	Test Method / Requirement	Rating
	If it is not possible to use the test discs specified in EN 1022:2018, they may be substituted with discs with a smaller diameter but with the same mass and height.	
10.2.2	<p><b>Reclining chairs</b> Reclining chairs shall be tested in accordance with EN 1022:2018, 7.4, using the following test loads:</p> <p><b>Size 1 seating</b> Load the seating with the test mass (see 5.7), resting against the backrest and perform the test according to EN 1022:2018, 5.7.</p> <p><b>Sizes 2 and 3 seating</b> Load the seating with two loading discs on the seat and four loading discs on the back as specified in EN 1022:2018, 5.7. If it is not possible to use the test discs specified in EN 1022:2018, they may be substituted with discs with a smaller diameter but with the same mass and height.</p>	N/A
11	<b>Product information</b>	N/C

Note: N/A =Not applicable; N/C=Not conducted (as per client's request).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS CSTC (Shanghai) Technical Services Co., Ltd. 4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 12 of 15

## For table

FIRA/FRQG C003:2021 Furniture - Children's Domestic Furniture - Tables and desks – Requirements for strength, stability and durability

Test condition : All the tests were carried out in air at a temperature of (20±5)°C  
 Test level : Level 1  
 Nos. of Specimen : 1 pc.  
 Test Result : PASS. Details shown as following table

Clause	Test Items	Result	Note
3.1	General	N/A	# 1
3.2	Safety requirements	Pass	# 2
4	Test	---	---
4.1	Inspection before testing	Pass	---
4.2	Procedure	Pass	# 3
4.4	Inspection after testing	Pass	---

Table 1 FIRA/FRQG C001:2021 Furniture - Children's Domestic Furniture – General safety requirements

Clause	Test Items	Result	Note
5	Safety requirements		
5.1	Materials	Pass	# 4 & # 5
5.2	Edges and corners	Pass	---
5.3	Tubular components, holes and gaps accessible during use	Pass	---
5.4	Shear and squeeze points	Pass	---
5.5	Tapering Gaps	N/A	# 1
5.6	Magnets	N/A	# 1
5.7	Enclosures	N/A	# 1
5.8	Flaps	N/A	# 1
5.9	Cords, Ribbons and tie backs	N/A	# 1
5.10	Packaging	N/A	# 1
6	Instructions and information supplied with product	---	---
6.1	Assembly instructions	N/C	# 6
6.2	Product information	N/C	# 6
6.3	Point of sale information	N/C	# 6



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
 Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com  
 4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

# Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 13 of 15

Table 2 Tests

Clause	Test Items	Result	Note
BS EN 1730: 2012, 7.2	Stability under vertical load	----	---
BS EN 1730: 2012, 7.2.2	Test for tables that are or can be set to a height of 950 mm or less	Pass	---
BS EN 1730: 2012, 7.2.3	Test for tables that are or can be set to a height greater than 950 mm	N/A	# 1
Annex A	Stability with drawers open	N/A	# 1
BS EN 1730:2012, 7.4	Stability for tables supporting parasols	N/A	# 1
BS EN 1730:2012, 6.2	Horizontal static load	Pass	---
BS EN 1730:2012, 6.3.1	Vertical static load on main surface	Pass	---
BS EN 1730:2012, 6.3.2	Additional vertical static load test where the main surface has a length > 1 600 mm	N/A	# 1
BS EN 1730:2012, 6.3.3	Vertical static load on ancillary surface	N/A	# 1
BS EN 1730:2012, 6.4.2	Horizontal durability test	Pass	---
BS EN 1730:2012, 6.6.2	Vertical impact test for glass table tops	N/A	# 1
BS EN 1730:2012, 6.6.3	Vertical impact test for all other table tops	Pass	---
BS EN 1730:2012, 6.9	Drop test	Pass	---

- Notes :
- # 1- N/A means not applicable to this product design.
  - # 2- Details information showed in FIRA/FRQG C001:2021.Test results see table 1.
  - # 3- Test results see table 2.
  - # 4- Salt spray test was not conducted as per client request.
  - # 5- EN 71-3: Document was provided (Refer to SGS test report NGBPC23000974102, issued on MAR. 31, 2023; NGBPC23000974110, issued on MAR. 31, 2023; NGBPC23000974104, issued on MAR. 31, 2023; NGBPC23000974106, issued on MAR. 31, 2023).  
Formaldehyde requirements: Document was provided (Refer to SGS test report SHAHL23019254501, issued on NOV. 30, 2023).
  - # 6- N/C means not conducted as per client request.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
 中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e sgs.china@sgs.com

## Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 14 of 15

### Sample Photo:

Received sample (overall view)



Received chair (view 1)



Received chair (view 2)



Received chair (view 3)



SGS-CSTC (Shanghai) Technical Services (Shanghai) Co., Ltd.  
Testing Center Hangzhou

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Test Report

No.: SHHL2309046467FT

Date: DEC. 01, 2023 Page: 15 of 15

Received table



\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

4<sup>th</sup> Building, No.889, Yishan Road, Xuhui District Shanghai, China 200233 t (86) 400 960 9661 f (86-21) 6115 6899 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号4号楼 邮编: 200233 t (86) 400 960 9661 f (86-21) 6115 6899 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)