

DOREL HOME FURNISHINGS EUROPE LTD  
BUILDING 4,IMPERIAL PLACE,MAXWELL ROAD,HERTFORDSHIRE,  
BOREHAMWOOD,WD6 1JN,UNITED KINGDOM

Sample Description : KEETOP UKFR-FOAM

Client Reference Information : Ref. No/Item No.(USED FOR):  
ALL DOREL EU UPHOLSTERED ITEMS FROM KEEP TOP FACTORY  
(ITEM LIST AS BELOW) :  
4238429CLUK,4238429BCLUK,4240439CLUK,4240439BCLUK,  
4241419CLUK,4241419BCLUK,4242919CLUK,4242919BCLUK,  
4327429CLUK,4327429BCLUK,4457029CLUK,4457029BCLUK,  
4458329CLUK,4458329BCLUK,4457039CLUK,4457039BCLUK,  
4458339CLUK,4458339BCLUK,4327439CLUK,4327439BCLUK,  
4450029CLAUK,4450029CLBUK,4447929CLAUK,4447929CLBUK,  
4108429UK,4108439UK,4155429AUK,4155429BUK,4155439AUK,  
4155439BUK,4538429QEUK,4538439QEUK,4539439QEUK,4471429QEUK,  
4471439QEUK,4474439AQEUK,4474439BQEUK,4026019UK,4026009UK,  
4027009UK,4027119UK,4027139UK,4027149UK,4291019UK,4291029AUK,  
4291029BUK,4291039AUK,4291039BUK,4292119UK,4292129AUK,  
4292129BUK,4292139AUK,4292139BUK,4135429NUK,4135439NUK,  
4172629NUK,4172639NUK,4135729NUK,4135739NUK,4356929NUK,  
4356939NUK,4330439NAUK,4330439NBUK,4330639NAUK,4330639NBUK,  
4330739NAUK,4330739NBUK,4330939NAUK,4330939NBUK,4296419NUK,  
4296429NAUK,4296429NBUK,4296439NAUK,4296439NBUK,4389619NUK,  
4389629NAUK,4389629NBUK,4389639NAUK,4389639NBUK,4390319NUK,  
4390329NAUK,4390329NBUK,4390339NAUK,4390339NBUK

Buyer : DOREL HOME FURNISHINGS EUROPE LTD

Manufacturer : XIAMEN KEEP TOP IMP.& EXP.CO.,LTD

Country of Origin : CHINA

Country of Destination : UNITED KINGDOM

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

\*\*\*\*\*

SGS Ref No. : SDFS2111007472FF

Sample Receiving Date : Nov 12, 2021

Test Performing Date : Nov 12, 2021 to Nov 22, 2021

Test Performed : Selected test(s) as requested by applicant

Test Result(s) : For further details, please refer to the following page(s)



**Test Result Summary**

No.	Test(s) Requested	Result(s)	Comments
1	Schedule 1 Part I of Furniture and Furnishings (Fire) (Safety) Regulations 1988 With Amendments In 1989, 1993 and 2010 of United Kingdom	PASS	/

For further details, please refer to the following page(s)

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch



Bill Wang  
Authorized Signatory

scan to see the report



SDHL2111020840FT-01



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

**Test Conducted:**

The Test, Specified in Schedule 1 Part I of the Furniture and Furnishings (Fire) (Safety) Regulations, is based on BS 5852: Part 2: 1982.

To assess the ignitability of polyurethane foam in slab used in upholstered components when subjected to ignition source 5.

**General Information:**

Materials	Foam	Density	Approximately 33.3 kg/m <sup>3</sup>
Specified Thickness of Specimen	(75±2) mm	Actual Thickness of Specimen	77 mm

Precondition	Indoor Ambient Condition		72 h
Conditioning of Test Specimen and Ignition Source(s)	Temperature: (23±2) °C; Relative Humidity: (50±5) % Duration: 24 h;		
Testing Enclosure (fume cupboard / room)	23.8 °C	RH 46 %	---

**Test Results:**

The following test results relate only to the ignitability of the combination of materials under the particular condition of test. They are not intended as a means of assessing the full potential fire hazard of the materials or products in use.

Test Criteria	Results	
	1 <sup>st</sup> test	2 <sup>nd</sup> test
<b>(A) Progressive smouldering</b> (Clause 4.1 of BS 5852: Part 2: 1982)		
4.1 b) Any composite that product externally detectable amounts of smoke, heat or glow 60 min after ignition of the crib.	NO	NO
4.1 c) Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and requires forcible extinction.	NO	NO
4.1 d) Any composite that smoulders until it is essentially consumed within the test duration relevant to the source	NO	NO
4.1 e) Any composite that smoulders to the extremities of the specimen viz upper or lower margins, either side or to its full thickness, within the duration of the test.	NO	NO
4.1 f) Any composite that, on the final examination, shows evidence of charring other than discolouration, more than 100 mm in any direction apart from upwards from the nearest part of the original position of the source.	NO	NO



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shunde Branch Technical Services Co., Ltd. | 1/F, 1<sup>st</sup> Building, European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

Test Criteria	Results	
	1 <sup>st</sup> test	2 <sup>nd</sup> test
<b>(B) Flaming</b> (Clause 4.2 of BS 5852: Part 2 :1982)		
4.2 b) Any composite that continues to flame for more than 10 minutes after the ignition of the crib.	NO	NO
4.2 d) Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and forcible extinction is required.	NO	NO
4.2 e) Any composite that burns until it is essentially consumed within the test duration relevant to the source.	NO	NO
4.2 f) Any composite on which any flame front reaches the lower margin, either side or passes through the full thickness of the specimen within the duration of the test.	NO	NO
<b>(C) Mass Loss</b> (Clause 5 in Schedule 1 Part1 of UK Regulations)		
If failure against the criteria of clause 4 of BS 5852:Part 2 has occurred but only by way of damage exceeding the limits defined in clause 4.1(e), 4.1(f) and 4.2(f) and provided that the resultant mass loss is less than 60g the foam passes the ignitability test.	29 g	31 g

**Test Details:**

The cover materials for this test were 100 percent flame retardant polyester fibres specified in Schedule 1, Part I of the Regulations.

Test No.		1 <sup>st</sup>	2 <sup>nd</sup>
Duration of	Ignition source (min, sec)	02min12s	02min18s
	Flames (min, sec)	03min03s	03min25s
	Smoke (min, sec)	04min27s	04min40s
Extent of damage of horizontal component	Foam - Width (mm)	155	152
	Foam - Length (mm)	116	120
	Foam - Depth (mm)	62	60
Extent of damage of vertical component	Foam - Length (mm)	153	156
	Foam - Depth (mm)	49	54
The initial mass of the sample composite (g)		7436	7448
The final mass of sample composite(g)		7407	7417
The final mass loss of the composite(g)		29	31

**Conclusion: PASS**




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Shunde Branch Technical Services Co., Ltd.  
Shunde Branch Hatunimes

1/F, 1<sup>st</sup> Building, European Industrial Park, No.1 Shunhe South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

**Photo Appendix:**



**Remark:**

1. According to client's statements the tested samples are used in their products entitled as item no. stated in "Client Reference Information" column on the first page.
2. This test report is to supersede No. SDHL2111020840FT test report which was issued on Nov 22, 2021. And the original test reports (paper and electronic) are invalid.

\*\*\*End of Report\*\*\*

